



**30 mm x 62 mm x 20 mm NSK 22206CKE4 spherical roller bearings**

Bearing No. 22206CKE4

22206CKE4 Bearing 2D drawings and 3D CAD models

Size	30x62x20 mm
Bore Diameter	30 mm
Outer Diameter	62 mm
Width	20 mm
d	30 mm
D	62 mm
B	20 mm
C	20 mm
r min.	1 mm
da min.	36 mm
da max	37 mm
Da min	54 mm
Da max.	56 mm
ra max.	1 mm
Weight	0,27 Kg
Basic dynamic load rating (C)	50 kN
Basic static load rating (C0)	50 kN
(Grease) Lubrication Speed	6000 r/min
(Oil) Lubrication Speed	7500 r/min
Calculation factor (e)	0,33
Calculation factor (Y0)	2
Calculation factor (Y2)	3,1
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK



# GENUINE ORIGINAL GERMAN BEARINGS CO.,LTD

Minimum Buy Quantity	N/A
Weight / Kilogram	0.262
Product Group	B04311
Y3	2.1
hidYobi	22206CKE4
LangID	1
Y1	2
D_	62
Y2	3.1
Macha rpm	0
B_	20
da min	36
hidTable	ecat_NSSPHR
Oil rpm	7500
Y0	2
mass	0.27
GRS rpm	6000
ra	1
TSR rpm	8500
C0	50
DE_	55.311
X0	1
Prod_Type3	SRB_CTB_TB
X1	1
X2	0.67
SIR	6.2
e	0.33
DA_	8.7
bomp	22206CKE4
Z_	14
ALP2	15
ALP1	12



## GENUINE ORIGINAL GERMAN BEARINGS CO.,LTD

ALP3	0
D_a max	56
D_a min	54
yobi	22206CKE4
ALPHA_	0.214
SDM_	46.809
r	1
KBRG	2322
SBRG	22
DI_	38.307